


IONIC DESIGN STUDIOS EXPRESSLY RESERVES THE COMMON LAW COPYRIGHT AND OTHER PROPERTY RIGHTS IN THESE PLANS. THIS DESIGN AND DRAWING ARE NOT TO BE REPRODUCED, COPIED, CHANGED, DELETED, OR IN ANY MANNER MANIPULATED WITHOUT THE WRITTEN PERMISSION AND CONSENT OF IONIC DESIGN STUDIOS. FOR THE RECORD, IONIC DESIGN STUDIOS HAS BEEN ADVISED TO BE ASSIGNED TO ANY PARTY WITHOUT THE WRITTEN PERMISSION AND CONSENT.



1 FRONT ELEVATION
1/4" = 1'-0"


GLAZING CALCULATION: N/A
ROOF COVERAGE: 608.66 SQFT/1,138.94 SQFT = 35%
SIGNAGE AREA SHOWN: 52 SQFT

STOREFRONT GLAZING TO BE CLEAR, NON-TINTED, NON-REFLECTIVE, DOUBLE GLAZED AND LOW-E WITH U-VALUE COMPLYING WITH THE ICC CLIMATE ZONE 3

FINAL LOCATION OF DOOR TO BE CONFIRMED WITH TENANT SCHEMATIC PACKAGE. ALL DOOR HARDWARE BY LANDLORD PER TENANT SPECIFICATIONS

SCONES PER TENANT SPECS. DESIGNER TO PROVIDE MODEL AFTER SCHEMATICS, TYP.

TENANT SIGNAGE VENDOR TO PROVIDE LANDLORD WITH SIGNAGE PACKAGE FOR REVIEW



2 DRIVE-THRU ELEVATION
1/4" = 1'-0"

GLAZING CALCULATION: N/A
ROOF COVERAGE: 608.66 SQFT/1,139.42 SQFT = 35%
SIGNAGE AREA SHOWN: 17.4 SQFT

STOREFRONT GLAZING TO BE CLEAR, NON-TINTED, NON-REFLECTIVE, DOUBLE GLAZED AND LOW-E WITH U-VALUE COMPLYING WITH THE ICC CLIMATE ZONE 3


FACE OF DRIVE-THRU BUMPOUT TO FACE OF CURB TO BE 12"

PROPOSED PLANTER LOCATIONS BY TENANT TO CONFIRM DESIGN IN SCHEMATIC PACKAGE.

TENANT SIGNAGE VENDOR TO PROVIDE LANDLORD WITH SIGNAGE PACKAGE FOR REVIEW

ROOF SCUPPER AND OVERFLOW BEHIND MANSARD ROOF SPILLS ONTO CANOPY

TENANT SIGNAGE VENDOR TO PROVIDE LANDLORD WITH SIGNAGE PACKAGE FOR REVIEW




3 PATIO ELEVATION
1/4" = 1'-0"

GLAZING CALCULATION: 295.94 SQFT/811.30 SQFT = 35.2% GLAZING
ROOF COVERAGE: 295.63 SQFT/853.32 SQFT = 35%
SIGNAGE AREA SHOWN: 16.5 SQFT

FINAL LOCATION OF DOOR TO BE CONFIRMED WITH TENANT SCHEMATIC PACKAGE. ALL DOOR HARDWARE BY LANDLORD PER TENANT SPECIFICATIONS

STOREFRONT GLAZING TO BE CLEAR, NON-TINTED, NON-REFLECTIVE, DOUBLE GLAZED AND LOW-E WITH U-VALUE COMPLYING WITH THE ICC CLIMATE ZONE 3



4 REAR ELEVATION
1/4" = 1'-0"

GLAZING CALCULATION: N/A
ROOF COVERAGE: 212.01 SQFT/854.67 SQFT = 32%
SIGNAGE AREA SHOWN: 9.9 SQFT