


HANDRAIL EXTENSION & STAIRWAY DETAIL

SCALE: N.T.S.


- NOTE:
- 1) STAIR NOSINGS SHALL HAVE A CURVATURE OR BEVEL OF NOT LESS THAN 1/8" BUT NOT MORE THAN 3/8" FROM THE FOREMOST PROJECTION OF THE TREAD. ALL STAIRS SHALL BE CONSTRUCTED PER 2018 NORTH CAROLINA BUILDING CODE SECTION 1011.
 - 2) 42" HIGH GUARD REQUIRED AT ALL STAIR SECTIONS w/ GREATER THAN 30" HEIGHT BETWEEN TOP OF TREAD AND GRADE.
 - 3) ALL HANDRAILS AND HANDRAIL EXTENSIONS SHALL BE CONSTRUCTED PER 2018 NORTH CAROLINA BUILDING CODE SECTION 1014. THIS DRAWING IS FOR REFERENCE ONLY.



1 HANDRAIL DETAIL


SCALE: 2" = 1'-0"

NOTE: ALL HANDRAILS SHALL BE CONSTRUCTED PER 2018 NORTH CAROLINA BUILDING CODE SECTION 1014. THIS DRAWING IS FOR REFERENCE ONLY.



INTERMEDIATE RAIL POST CONNECTION DETAIL


SCALE: 1" = 1'-0"



STAIR STRINGER DETAIL (TYP.)


SCALE: 1" = 1'-0"

NOTE: LAST THREE STEPS SEAWARD TO BE BURIED FOR FUTURE EROSION.



2 WALKWAY SIDE VIEW

SCALE: 1/2" = 1'-0"



4 ELEVATION CROSS SECTION

SCALE: 1" = 1'-0"

NOTE:
1) ALL WALKWAYS SHALL BE CONSTRUCTED PER 2018 NORTH CAROLINA BUILDING CODE SECTION 1012. THIS DRAWING IS FOR REFERENCE ONLY.
2) DETAIL SHOWS OPTIONAL RAIL POST CONNECTION.



JOIST/BEAMS ONLY
NOT RESPONSIBLE FOR EXISTING
STRUCTURES/CONDITIONS



MICHAEL D. O'STEEN, P.E. PLLC

1100 HAY ST. SUITE 200
KILLDEER, NC 27548
MOBILE: 252-423-2300
EMAIL: MIKEOSTEENPE@GMAIL.COM
WEB: WWW.MICHAELDOSTEENPE.COM

CARLOW AVENUE BEACH ACCESS
DARE COUNTY
NORTH CAROLINA

DUNE WALKWAY FRAMING DETAILS
DESCRIPTION:
0 NORTH VIRGINIA DARE TRAIL KILL DEVIL HILLS

SCALE: 1/4" = 1'-0"
SHEET: S2 OF 2
DATE: 1-15-2026
REVISED: N/A